

Bezeichnung	Artikelnummer	Lichtfarbe	Optik	Systemleistung	lichtstrom System
BaseLED 10-585 M1K	96009403015	4000 K	satiniert	10,1 W	1333 lm
BaseLED 15-865 K1K	96013303006	3000 K	klar	13,4 W	2081 lm
BaseLED 15-865 M1K	96013303007	3000 K	klar	13,4 W	2081 lm
BaseLED 15-865 K1K	96013303014	3000 K	satiniert	13,4 W	1888 lm
BaseLED 15-865 M1K	96013303015	3000 K	satiniert	13,4 W	1888 lm
BaseLED 15-865 D1K	96013303018	3000 K	klar	13,4 W	2081 lm
BaseLED 15-865 D1K	96013303019	3000 K	satiniert	13,4 W	1888 lm
BaseLED 15-865 K1K	96013403006	4000 K	klar	13,4 W	2207 lm
BaseLED 15-865 M1K	96013403007	4000 K	klar	13,4 W	2207 lm
BaseLED 15-865 K1K	96013403014	4000 K	satiniert	13,4 W	2002 lm
BaseLED 15-865 M1K	96013403015	4000 K	satiniert	13,4 W	2002 lm
BaseLED 15-865 D1K	96013403018	4000 K	klar	13,4 W	2207 lm
BaseLED 15-865 D1K	96013403019	4000 K	satiniert	13,4 W	2002 lm
BaseLED 15-865 K1K	96013503006	5000 K	klar	13,8 W	2095 lm
BaseLED 15-865 M1K	96013503007	5000 K	klar	13,8 W	2095 lm
BaseLED 15-865 K1K	96013503014	5000 K	satiniert	13,8 W	1901 lm
BaseLED 15-865 M1K	96013503015	5000 K	satiniert	13,8 W	1901 lm
BaseLED 15-865 D1K	96013503018	5000 K	klar	13,8 W	2095 lm
BaseLED 15-865 D1K	96013503019	5000 K	satiniert	13,8 W	1901 lm
BaseLED 15-865 M1K	96013653015	6500 K	satiniert	13,4 W	1861 lm
BaseLED 19-1145 K1K	96017303006	3000 K	klar	17,2 W	2774 lm
BaseLED 19-1145 M1K	96017303007	3000 K	klar	17,2 W	2774 lm
BaseLED 19-1145 K1K	96017303014	3000 K	satiniert	17,2 W	2517 lm
BaseLED 19-1145 M1K	96017303015	3000 K	satiniert	17,2 W	2517 lm
BaseLED 19-1145 D1K	96017303018	3000 K	klar	17,2 W	2774 lm
BaseLED 19-1145 D1K	96017303019	3000 K	satiniert	17,2 W	2517 lm
BaseLED 19-1145 K1K	96017403006	4000 K	klar	17,2 W	2939 lm
BaseLED 19-1145 M1K	96017403007	4000 K	klar	17,2 W	2939 lm
BaseLED 19-1145 K1K	96017403014	4000 K	satiniert	17,2 W	2666 lm
BaseLED 19-1145 M1K	96017403015	4000 K	satiniert	17,2 W	2666 lm
BaseLED 19-1145 D1K	96017403018	4000 K	klar	17,2 W	2939 lm
BaseLED 19-1145 D1K	96017403019	4000 K	satiniert	17,2 W	2666 lm
BaseLED 19-1145 K1K	96017503006	5000 K	klar	17,7 W	2794 lm
BaseLED 19-1145 M1K	96017503007	5000 K	klar	17,7 W	2794 lm
BaseLED 19-1145 K1K	96017503014	5000 K	satiniert	17,7 W	2534 lm
BaseLED 19-1145 M1K	96017503015	5000 K	satiniert	17,7 W	2534 lm
BaseLED 19-1145 D1K	96017503018	5000 K	klar	17,7 W	2794 lm
BaseLED 19-1145 D1K	96017503019	5000 K	satiniert	17,7 W	2534 lm
BaseLED 23-1425 K1K	96022303006	3000 K	klar	20,9 W	3468 lm
BaseLED 23-1425 M1K	96022303007	3000 K	klar	20,9 W	3468 lm
BaseLED 23-1425 K1K	96022303014	3000 K	satiniert	20,9 W	3146 lm
BaseLED 23-1425 M1K	96022303015	3000 K	satiniert	20,9 W	3146 lm
BaseLED 23-1425 D1K	96022303018	3000 K	klar	20,9 W	3468 lm
BaseLED 23-1425 D1K	96022303019	3000 K	satiniert	20,9 W	3146 lm
BaseLED 23-1425 K1K	96022403006	4000 K	klar	20,9 W	3676 lm
BaseLED 23-1425 M1K	96022403007	4000 K	klar	20,9 W	3676 lm
BaseLED 23-1425 K1K	96022403014	4000 K	satiniert	20,9 W	3335 lm
BaseLED 23-1425 M1K	96022403015	4000 K	satiniert	20,9 W	3335 lm
BaseLED 23-1425 D1K	96022403018	4000 K	klar	20,9 W	3676 lm

BaseLED 23-1425 D1K	96022403019	4000 K	satiniert	20,9 W	3335 lm
BaseLED 23-1425 K1K	96022503006	5000 K	klar	21,6 W	3492 lm
BaseLED 23-1425 M1K	96022503007	5000 K	klar	21,6 W	3492 lm
BaseLED 23-1425 K1K	96022503014	5000 K	satiniert	21,6 W	3168 lm
BaseLED 23-1425 M1K	96022503015	5000 K	satiniert	21,6 W	3168 lm
BaseLED 23-1425 D1K	96022503018	5000 K	klar	21,6 W	3492 lm
BaseLED 23-1425 D1K	96022503019	5000 K	satiniert	21,6 W	3168 lm

Abmessungen
585x74x32 mm
865x74x35 mm
865x74x32 mm
865x74x35 mm
865x74x32 mm
865x74x34 mm
865x74x34 mm
865x74x35 mm
865x74x32 mm
865x74x35 mm
865x74x32 mm
865x74x34 mm
865x74x34 mm
865x74x35 mm
865x74x32 mm
865x74x35 mm
865x74x32 mm
865x74x34 mm
865x74x34 mm
865x74x32 mm
1145x74x35 mm
1145x74x32 mm
1145x74x35 mm
1145x74x32 mm
1145x74x34 mm
1145x74x34 mm
1145x74x35 mm
1145x74x32 mm
1145x74x35 mm
1145x74x32 mm
1145x74x35 mm
1145x74x32 mm
1145x74x35 mm
1145x74x32 mm
1145x74x35 mm
1145x74x32 mm
1145x74x34 mm
1145x74x34 mm
1145x74x35 mm
1145x74x32 mm
1145x74x35 mm
1145x74x32 mm
1145x74x34 mm
1145x74x34 mm
1425x74x35 mm
1425x74x32 mm
1425x74x35 mm
1425x74x32 mm
1425x74x34 mm
1425x74x34 mm
1425x74x35 mm
1425x74x32 mm
1425x74x35 mm
1425x74x32 mm
1425x74x34 mm
1425x74x34 mm
1425x74x35 mm
1425x74x32 mm
1425x74x35 mm
1425x74x32 mm
1425x74x34 mm

1425x74x34 mm

1425x74x35 mm

1425x74x32 mm

1425x74x35 mm

1425x74x32 mm

1425x74x34 mm

1425x74x34 mm