

Bezeichnung	Artikelnummer	Lichtfarbe	Optik	Systemleistung	Lichtstrom System
BaseLED 10-585 M2K	96010403009	4000 K	satiniert	10,1 W	1333 lm
BaseLED 15-865 K2K	96013303000	3000 K	klar	13,4 W	2081 lm
BaseLED 15-865 M2K	96013303001	3000 K	klar	13,4 W	2081 lm
BaseLED 15-865 K2K	96013303008	3000 K	satiniert	13,4 W	1888 lm
BaseLED 15-865 M2K	96013303009	3000 K	satiniert	13,4 W	1888 lm
BaseLED 15-865 D2K	96013303016	3000 K	klar	13,4 W	2081 lm
BaseLED 15-865 D2K	96013303017	3000 K	satiniert	13,4 W	1888 lm
BaseLED 15-865 K2K	96013403000	4000 K	klar	13,4 W	2207 lm
BaseLED 15-865 M2K	96013403001	4000 K	klar	13,4 W	2207 lm
BaseLED 15-865 K2K	96013403008	4000 K	satiniert	13,4 W	2002 lm
BaseLED 15-865 M2K	96013403009	4000 K	satiniert	13,4 W	2002 lm
BaseLED 15-865 D2K	96013403016	4000 K	klar	13,4 W	2207 lm
BaseLED 15-865 D2K	96013403017	4000 K	satiniert	13,4 W	2002 lm
BaseLED 15-865 K2K	96013503000	5000 K	klar	13,8 W	2095 lm
BaseLED 15-865 M2K	96013503001	5000 K	klar	13,8 W	2095 lm
BaseLED 15-865 K2K	96013503008	5000 K	satiniert	13,8 W	1901 lm
BaseLED 15-865 M2K	96013503009	5000 K	satiniert	13,8 W	1901 lm
BaseLED 15-865 D2K	96013503016	5000 K	klar	13,8 W	2095 lm
BaseLED 15-865 D2K	96013503017	5000 K	satiniert	13,8 W	1901 lm
BaseLED 19-1145 K2K	96017303000	3000 K	klar	17,2 W	2774 lm
BaseLED 19-1145 M2K	96017303001	3000 K	klar	17,2 W	2774 lm
BaseLED 19-1145 K2K	96017303008	3000 K	satiniert	17,2 W	2517 lm
BaseLED 19-1145 M2K	96017303009	3000 K	satiniert	17,2 W	2517 lm
BaseLED 19-1145 D2K	96017303016	3000 K	klar	17,2 W	2774 lm
BaseLED 19-1145 D2K	96017303017	3000 K	satiniert	17,2 W	2517 lm
BaseLED 19-1145 K2K	96017403000	4000 K	klar	17,2 W	2939 lm
BaseLED 19-1145 M2K	96017403001	4000 K	klar	17,2 W	2939 lm
BaseLED 19-1145 K2K	96017403008	4000 K	satiniert	17,2 W	2666 lm
BaseLED 19-1145 M2K	96017403009	4000 K	satiniert	17,2 W	2666 lm
BaseLED 19-1145 D2K	96017403016	4000 K	klar	17,2 W	2939 lm
BaseLED 19-1145 D2K	96017403017	4000 K	satiniert	17,2 W	2666 lm
BaseLED 19-1145 K2K	96017503000	5000 K	klar	17,7 W	2794 lm
BaseLED 19-1145 M2K	96017503001	5000 K	klar	17,7 W	2794 lm
BaseLED 19-1145 K2K	96017503008	5000 K	satiniert	17,7 W	2534 lm
BaseLED 19-1145 M2K	96017503009	5000 K	satiniert	17,7 W	2534 lm
BaseLED 19-1145 D2K	96017503016	5000 K	klar	17,7 W	2794 lm
BaseLED 19-1145 D2K	96017503017	5000 K	satiniert	17,7 W	2534 lm
BaseLED 23-1425 K2K	96022303000	3000 K	klar	20,9 W	3468 lm
BaseLED 23-1425 M2K	96022303001	3000 K	klar	20,9 W	3468 lm
BaseLED 23-1425 K2K	96022303008	3000 K	satiniert	20,9 W	3146 lm
BaseLED 23-1425 M2K	96022303009	3000 K	satiniert	20,9 W	3146 lm
BaseLED 23-1425 D2K	96022303016	3000 K	klar	20,9 W	3468 lm
BaseLED 23-1425 D2K	96022303017	3000 K	satiniert	20,9 W	3146 lm
BaseLED 23-1425 K2K	96022403000	4000 K	klar	20,9 W	3676 lm
BaseLED 23-1425 M2K	96022403001	4000 K	klar	20,9 W	3676 lm
BaseLED 23-1425 K2K	96022403008	4000 K	satiniert	20,9 W	3335 lm
BaseLED 23-1425 M2K	96022403009	4000 K	satiniert	20,9 W	3335 lm
BaseLED 23-1425 D2K	96022403016	4000 K	klar	20,9 W	3676 lm
BaseLED 23-1425 D2K	96022403017	4000 K	satiniert	20,9 W	3335 lm

BaseLED 23-1425 K2K	96022503000	5000 K	klar	21,6 W	3492 lm
BaseLED 23-1425 M2K	96022503001	5000 K	klar	21,6 W	3492 lm
BaseLED 23-1425 K2K	96022503008	5000 K	satiniert	21,6 W	3168 lm
BaseLED 23-1425 M2K	96022503009	5000 K	satiniert	21,6 W	3168 lm
BaseLED 23-1425 D2K	96022503016	5000 K	klar	21,6 W	3492 lm
BaseLED 23-1425 D2K	96022503017	5000 K	satiniert	21,6 W	3168 lm

Abmessungen
585x74x32 mm
865x74x35 mm
865x74x32 mm
865x74x35 mm
865x74x32 mm
865x74x34 mm
865x74x34 mm
865x74x35 mm
865x74x32 mm
865x74x35 mm
865x74x32 mm
865x74x34 mm
865x74x34 mm
865x74x35 mm
865x74x32 mm
865x74x35 mm
865x74x32 mm
865x74x34 mm
865x74x34 mm
1145x74x35 mm
1145x74x32 mm
1145x74x35 mm
1145x74x32 mm
1145x74x34 mm
1145x74x34 mm
1145x74x35 mm
1145x74x32 mm
1145x74x35 mm
1145x74x32 mm
1145x74x34 mm
1145x74x34 mm
1145x74x35 mm
1145x74x32 mm
1145x74x35 mm
1145x74x32 mm
1145x74x34 mm
1145x74x34 mm
1145x74x35 mm
1145x74x32 mm
1145x74x34 mm
1145x74x34 mm
1425x74x35 mm
1425x74x32 mm
1425x74x35 mm
1425x74x32 mm
1425x74x34 mm
1425x74x34 mm
1425x74x35 mm
1425x74x32 mm
1425x74x35 mm
1425x74x32 mm
1425x74x34 mm
1425x74x34 mm

1425x74x35 mm

1425x74x32 mm

1425x74x35 mm

1425x74x32 mm

1425x74x34 mm

1425x74x34 mm