

| Bezeichnung | Artikelnummer | Lichtfarbe | Optik | System-leistung | Lichtstrom System |
|-----------------------|---------------|------------|-----------|-----------------|-------------------|
| HalLED 11-585 AE | 87011303001 | 3000 K | satiniert | 10,4 W | 1082 lm |
| HalLED 11-585 AE | 87011403001 | 4000 K | satiniert | 10,4 W | 1153 lm |
| HalLED 11-585 AE | 87011503001 | 5000 K | satiniert | 10,4 W | 1153 lm |
| HalLED 16-865 AE | 87016303001 | 3000 K | satiniert | 15,0 W | 2138 lm |
| HalLED 16-865 AE dim | 87016303002 | 3000 K | satiniert | 15,2 W | 2138 lm |
| HalLED 16-865 AE | 87016303007 | 3000 K | klar | 15,0 W | 2357 lm |
| HalLED 16-865 AE dim | 87016303008 | 3000 K | klar | 15,2 W | 2357 lm |
| HalLED 16-865 AE | 87016403001 | 4000 K | satiniert | 15,0 W | 2270 lm |
| HalLED 16-865 AE dim | 87016403002 | 4000 K | satiniert | 15,2 W | 2270 lm |
| HalLED 16-865 AE | 87016403007 | 4000 K | klar | 15,0 W | 2503 lm |
| HalLED 16-865 AE dim | 87016403008 | 4000 K | klar | 15,2 W | 2503 lm |
| HalLED 16-865 AE | 87016503001 | 5000 K | satiniert | 15,0 W | 2270 lm |
| HalLED 16-865 AE dim | 87016503002 | 5000 K | satiniert | 15,2 W | 2270 lm |
| HalLED 16-865 AE | 87016503007 | 5000 K | klar | 15,0 W | 2503 lm |
| HalLED 16-865 AE dim | 87016503008 | 5000 K | klar | 15,2 W | 2503 lm |
| HalLED 17-1145 AE | 87017303001 | 3000 K | satiniert | 19,4 W | 2851 lm |
| HalLED 17-1145 AE dim | 87017303002 | 3000 K | satiniert | 19,7 W | 2851 lm |
| HalLED 17-1145 AE | 87017303007 | 3000 K | klar | 19,4 W | 3143 lm |
| HalLED 17-1145 AE dim | 87017303008 | 3000 K | klar | 19,7 W | 3143 lm |
| HalLED 17-1145 AE | 87017403001 | 4000 K | satiniert | 19,4 W | 3027 lm |
| HalLED 17-1145 AE dim | 87017403002 | 4000 K | satiniert | 19,7 W | 3027 lm |
| HalLED 17-1145 AE | 87017403007 | 4000 K | klar | 19,4 W | 3337 lm |
| HalLED 17-1145 AE dim | 87017403008 | 4000 K | klar | 19,7 W | 3337 lm |
| HalLED 17-1145 AE | 87017503001 | 5000 K | satiniert | 19,4 W | 3027 lm |
| HalLED 17-1145 AE dim | 87017503002 | 5000 K | satiniert | 19,7 W | 3027 lm |
| HalLED 17-1145 AE | 87017503007 | 5000 K | klar | 19,4 W | 3337 lm |
| HalLED 17-1145 AE dim | 87017503008 | 5000 K | klar | 19,7 W | 3337 lm |
| HalLED 22-1425 AE | 87022303001 | 3000 K | satiniert | 23,9 W | 3564 lm |
| HalLED 22-1425 AE dim | 87022303002 | 3000 K | satiniert | 24,2 W | 3564 lm |
| HalLED 22-1425 AE | 87022303007 | 3000 K | klar | 23,9 W | 3929 lm |
| HalLED 22-1425 AE dim | 87022303008 | 3000 K | klar | 24,2 W | 3929 lm |
| HalLED 22-1425 AE | 87022403001 | 4000 K | satiniert | 23,9 W | 3784 lm |
| HalLED 22-1425 AE dim | 87022403002 | 4000 K | satiniert | 24,2 W | 3784 lm |
| HalLED 22-1425 AE | 87022403007 | 4000 K | klar | 23,9 W | 4171 lm |
| HalLED 22-1425 AE dim | 87022403008 | 4000 K | klar | 24,2 W | 4171 lm |
| HalLED 22-1425 AE | 87022503001 | 5000 K | satiniert | 23,9 W | 3784 lm |
| HalLED 22-1425 AE dim | 87022503002 | 5000 K | satiniert | 24,2 W | 3784 lm |
| HalLED 22-1425 AE | 87022503007 | 5000 K | klar | 23,9 W | 4171 lm |
| HalLED 22-1425 AE dim | 87022503008 | 5000 K | klar | 24,2 W | 4171 lm |
| HalLED 24-865 AE | 87024303001 | 3000 K | satiniert | 26,9 W | 3630 lm |
| HalLED 24-865 AE dim | 87024303002 | 3000 K | satiniert | 27,2 W | 3630 lm |
| HalLED 24-865 AE | 87024303007 | 3000 K | klar | 26,9 W | 4001 lm |
| HalLED 24-865 AE dim | 87024303008 | 3000 K | klar | 27,2 W | 4001 lm |
| HalLED 24-865 AE | 87024403001 | 4000 K | satiniert | 26,9 W | 3868 lm |
| HalLED 24-865 AE dim | 87024403002 | 4000 K | satiniert | 27,2 W | 3868 lm |
| HalLED 24-865 AE | 87024403007 | 4000 K | klar | 26,9 W | 4263 lm |

| | | | | | |
|-----------------------|---------------|------------|-----------|-----------------|-------------------|
| HalLED 24-865 AE dim | 87024403008 | 4000 K | klar | 27,2 W | 4263 lm |
| HalLED 24-865 AE | 87024503001 | 5000 K | satiniert | 26,9 W | 3868 lm |
| HalLED 24-865 AE dim | 87024503002 | 5000 K | satiniert | 27,2 W | 3868 lm |
| HalLED 24-865 AE | 87024503007 | 5000 K | klar | 26,9 W | 4263 lm |
| HalLED 24-865 AE dim | 87024503008 | 5000 K | klar | 27,2 W | 4263 lm |
| HalLED 30-1425 AE | 87030303001 | 3000 K | satiniert | 30,4 W | 4400 lm |
| HalLED 30-1425 AE dim | 87030303002 | 3000 K | satiniert | 30,7 W | 4400 lm |
| HalLED 30-1425 AE | 87030303007 | 3000 K | klar | 30,4 W | 4850 lm |
| HalLED 30-1425 AE dim | 87030303008 | 3000 K | klar | 30,7 W | 4850 lm |
| HalLED 30-1425 AE | 87030403001 | 4000 K | satiniert | 30,4 W | 4686 lm |
| HalLED 30-1425 AE dim | 87030403002 | 4000 K | satiniert | 30,7 W | 4686 lm |
| HalLED 30-1425 AE | 87030403007 | 4000 K | klar | 30,4 W | 5165 lm |
| HalLED 30-1425 AE dim | 87030403008 | 4000 K | klar | 30,7 W | 5165 lm |
| HalLED 30-1425 AE | 87030503001 | 5000 K | satiniert | 30,4 W | 4686 lm |
| HalLED 30-1425 AE dim | 87030503002 | 5000 K | satiniert | 30,7 W | 4686 lm |
| HalLED 30-1425 AE | 87030503007 | 5000 K | klar | 30,4 W | 5165 lm |
| HalLED 30-1425 AE dim | 87030503008 | 5000 K | klar | 30,7 W | 5165 lm |
| HalLED 32-1145 AE | 87032303001 | 3000 K | satiniert | 34,7 W | 4840 lm |
| HalLED 32-1145 AE dim | 87032303002 | 3000 K | satiniert | 35,1 W | 4840 lm |
| HalLED 32-1145 AE | 87032303007 | 3000 K | klar | 34,7 W | 5335 lm |
| HalLED 32-1145 AE dim | 87032303008 | 3000 K | klar | 35,1 W | 5335 lm |
| HalLED 32-1145 AE | 87032403001 | 4000 K | satiniert | 34,7 W | 5157 lm |
| HalLED 32-1145 AE dim | 87032403002 | 4000 K | satiniert | 35,1 W | 5157 lm |
| HalLED 32-1145 AE | 87032403007 | 4000 K | klar | 34,7 W | 5684 lm |
| HalLED 32-1145 AE dim | 87032403008 | 4000 K | klar | 35,1 W | 5684 lm |
| HalLED 32-1145 AE | 87032503001 | 5000 K | satiniert | 34,7 W | 5157 lm |
| HalLED 32-1145 AE dim | 87032503002 | 5000 K | satiniert | 35,1 W | 5157 lm |
| HalLED 32-1145 AE | 87032503007 | 5000 K | klar | 34,7 W | 5684 lm |
| HalLED 32-1145 AE dim | 87032503008 | 5000 K | klar | 35,1 W | 5684 lm |
| HalLED 40-1425 AE | 87040303001 | 3000 K | satiniert | 42,5 W | 6050 lm |
| HalLED 40-1425 AE dim | 87040303002 | 3000 K | satiniert | 42,9 W | 6050 lm |
| HalLED 40-1425 AE | 87040303007 | 3000 K | klar | 42,5 W | 6669 lm |
| HalLED 40-1425 AE dim | 87040303008 | 3000 K | klar | 42,9 W | 6669 lm |
| HalLED 40-1425 AE | 87040403001 | 4000 K | satiniert | 42,5 W | 6446 lm |
| HalLED 40-1425 AE dim | 87040403002 | 4000 K | satiniert | 42,9 W | 6446 lm |
| HalLED 40-1425 AE | 87040403007 | 4000 K | klar | 42,5 W | 7105 lm |
| HalLED 40-1425 AE dim | 87040403008 | 4000 K | klar | 42,9 W | 7105 lm |
| HalLED 40-1425 AE | 87040503001 | 5000 K | satiniert | 42,5 W | 6446 lm |
| HalLED 40-1425 AE dim | 87040503002 | 5000 K | satiniert | 42,9 W | 6446 lm |
| HalLED 40-1425 AE | 87040503007 | 5000 K | klar | 42,5 W | 7105 lm |
| HalLED 40-1425 AE dim | 87040503008 | 5000 K | klar | 42,9 W | 7105 lm |
| Bezeichnung | Artikelnummer | Lichtfarbe | Optik | System-leistung | Lichtstrom System |
| HalLED 16-865 AS | 87016303003 | 3000 K | satiniert | 15,0 W | 2138 lm |
| HalLED 16-865 AS dim | 87016303004 | 3000 K | satiniert | 15,2 W | 2138 lm |
| HalLED 16-865 AS | 87016303009 | 3000 K | klar | 15,0 W | 2357 lm |
| HalLED 16-865 AS dim | 87016303010 | 3000 K | klar | 15,2 W | 2357 lm |
| HalLED 16-865 AS | 87016403003 | 4000 K | satiniert | 15,0 W | 2270 lm |

| | | | | | |
|-----------------------|-------------|--------|-----------|--------|---------|
| HalLED 16-865 AS dim | 87016403004 | 4000 K | satiniert | 15,2 W | 2270 lm |
| HalLED 16-865 AS | 87016403009 | 4000 K | klar | 15,0 W | 2503 lm |
| HalLED 16-865 AS dim | 87016403010 | 4000 K | klar | 15,2 W | 2503 lm |
| HalLED 16-865 AS dim | 87016503004 | 5000 K | satiniert | 15,2 W | 2270 lm |
| HalLED 16-865 AS | 87016503009 | 5000 K | klar | 15,0 W | 2503 lm |
| HalLED 16-865 AS dim | 87016503010 | 5000 K | klar | 15,2 W | 2503 lm |
| HalLED 17-1145 AS | 87017303003 | 3000 K | satiniert | 19,4 W | 2851 lm |
| HalLED 17-1145 AS dim | 87017303004 | 3000 K | satiniert | 19,7 W | 2851 lm |
| HalLED 17-1145 AS | 87017303009 | 3000 K | klar | 19,4 W | 3143 lm |
| HalLED 17-1145 AS dim | 87017303010 | 3000 K | klar | 19,7 W | 3143 lm |
| HalLED 17-1145 AS | 87017403003 | 4000 K | satiniert | 19,4 W | 3027 lm |
| HalLED 17-1145 AS dim | 87017403004 | 4000 K | satiniert | 19,7 W | 3027 lm |
| HalLED 17-1145 AS | 87017403009 | 4000 K | klar | 19,4 W | 3337 lm |
| HalLED 17-1145 AS dim | 87017403010 | 4000 K | klar | 19,7 W | 3337 lm |
| HalLED 17-1145 AS | 87017503003 | 5000 K | satiniert | 19,4 W | 3027 lm |
| HalLED 17-1145 AS dim | 87017503004 | 5000 K | satiniert | 19,7 W | 3027 lm |
| HalLED 17-1145 AS | 87017503009 | 5000 K | klar | 19,4 W | 3337 lm |
| HalLED 17-1145 AS dim | 87017503010 | 5000 K | klar | 19,7 W | 3337 lm |
| HalLED 22-1425 AS | 87022303003 | 3000 K | satiniert | 23,9 W | 3564 lm |
| HalLED 22-1425 AS dim | 87022303004 | 3000 K | satiniert | 24,2 W | 3564 lm |
| HalLED 22-1425 AS | 87022303009 | 3000 K | klar | 23,9 W | 3929 lm |
| HalLED 22-1425 AS dim | 87022303010 | 3000 K | klar | 24,2 W | 3929 lm |
| HalLED 22-1425 AS | 87022403003 | 4000 K | satiniert | 23,9 W | 3784 lm |
| HalLED 22-1425 AS dim | 87022403004 | 4000 K | satiniert | 24,2 W | 3784 lm |
| HalLED 22-1425 AS | 87022403009 | 4000 K | klar | 23,9 W | 4171 lm |
| HalLED 22-1425 AS dim | 87022403010 | 4000 K | klar | 24,2 W | 4171 lm |
| HalLED 22-1425 AS | 87022503003 | 5000 K | satiniert | 23,9 W | 3784 lm |
| HalLED 22-1425 AS dim | 87022503004 | 5000 K | satiniert | 24,2 W | 3784 lm |
| HalLED 22-1425 AS | 87022503009 | 5000 K | klar | 23,9 W | 4171 lm |
| HalLED 22-1425 AS dim | 87022503010 | 5000 K | klar | 24,2 W | 4171 lm |
| HalLED 24-865 AS | 87024303003 | 3000 K | satiniert | 26,9 W | 3630 lm |
| HalLED 24-865 AS dim | 87024303004 | 3000 K | satiniert | 27,2 W | 3630 lm |
| HalLED 24-865 AS | 87024303009 | 3000 K | klar | 26,9 W | 4001 lm |
| HalLED 24-865 AS dim | 87024303010 | 3000 K | klar | 27,2 W | 4001 lm |
| HalLED 24-865 AS | 87024403003 | 4000 K | satiniert | 26,9 W | 3868 lm |
| HalLED 24-865 AS dim | 87024403004 | 4000 K | satiniert | 27,2 W | 3868 lm |
| HalLED 24-865 AS | 87024403009 | 4000 K | klar | 26,9 W | 4263 lm |
| HalLED 24-865 AS dim | 87024403010 | 4000 K | klar | 27,2 W | 4263 lm |
| HalLED 24-865 AS | 87024503003 | 5000 K | satiniert | 26,9 W | 3868 lm |
| HalLED 24-865 AS dim | 87024503004 | 5000 K | satiniert | 27,2 W | 3868 lm |
| HalLED 24-865 AS | 87024503009 | 5000 K | klar | 26,9 W | 4263 lm |
| HalLED 24-865 AS dim | 87024503010 | 5000 K | klar | 27,2 W | 4263 lm |
| HalLED 30-1425 AS | 87030303003 | 3000 K | satiniert | 30,4 W | 4400 lm |
| HalLED 30-1425 AS dim | 87030303004 | 3000 K | satiniert | 30,7 W | 4400 lm |
| HalLED 30-1425 AS | 87030303009 | 3000 K | klar | 30,4 W | 4850 lm |
| HalLED 30-1425 AS dim | 87030303010 | 3000 K | klar | 30,7 W | 4850 lm |
| HalLED 30-1425 AS | 87030403003 | 4000 K | satiniert | 30,4 W | 4686 lm |
| HalLED 30-1425 AS dim | 87030403004 | 4000 K | satiniert | 30,7 W | 4686 lm |

| | | | | | |
|-----------------------|-------------|--------|-----------|--------|---------|
| HalLED 30-1425 AS | 87030403009 | 4000 K | klar | 30,4 W | 5165 lm |
| HalLED 30-1425 AS dim | 87030403010 | 4000 K | klar | 30,7 W | 5165 lm |
| HalLED 30-1425 AS | 87030503003 | 5000 K | satiniert | 30,4 W | 4686 lm |
| HalLED 30-1425 AS dim | 87030503004 | 5000 K | satiniert | 30,7 W | 4686 lm |
| HalLED 30-1425 AS | 87030503009 | 5000 K | klar | 30,4 W | 5165 lm |
| HalLED 30-1425 AS dim | 87030503010 | 5000 K | klar | 30,7 W | 5165 lm |
| HalLED 32-1145 AS | 87032303003 | 3000 K | satiniert | 34,7 W | 4840 lm |
| HalLED 32-1145 AS dim | 87032303004 | 3000 K | satiniert | 35,1 W | 4840 lm |
| HalLED 32-1145 AS | 87032303009 | 3000 K | klar | 34,7 W | 5335 lm |
| HalLED 32-1145 AS dim | 87032303010 | 3000 K | klar | 35,1 W | 5335 lm |
| HalLED 32-1145 AS | 87032403003 | 4000 K | satiniert | 34,7 W | 5157 lm |
| HalLED 32-1145 AS dim | 87032403004 | 4000 K | satiniert | 35,1 W | 5157 lm |
| HalLED 32-1145 AS | 87032403009 | 4000 K | klar | 34,7 W | 5684 lm |
| HalLED 32-1145 AS dim | 87032403010 | 4000 K | klar | 35,1 W | 5684 lm |
| HalLED 32-1145 AS | 87032503003 | 5000 K | satiniert | 34,7 W | 5157 lm |
| HalLED 32-1145 AS dim | 87032503004 | 5000 K | satiniert | 35,1 W | 5157 lm |
| HalLED 32-1145 AS | 87032503009 | 5000 K | klar | 34,7 W | 5684 lm |
| HalLED 32-1145 AS dim | 87032503010 | 5000 K | klar | 35,1 W | 5684 lm |
| HalLED 40-1425 AS | 87040303003 | 3000 K | satiniert | 42,5 W | 6050 lm |
| HalLED 40-1425 AS dim | 87040303004 | 3000 K | satiniert | 42,9 W | 6050 lm |
| HalLED 40-1425 AS | 87040303009 | 3000 K | klar | 42,5 W | 6669 lm |
| HalLED 40-1425 AS dim | 87040303010 | 3000 K | klar | 42,9 W | 6669 lm |
| HalLED 40-1425 AS | 87040403003 | 4000 K | satiniert | 42,5 W | 6446 lm |
| HalLED 40-1425 AS dim | 87040403004 | 4000 K | satiniert | 42,9 W | 6446 lm |
| HalLED 40-1425 AS | 87040403009 | 4000 K | klar | 42,5 W | 7105 lm |
| HalLED 40-1425 AS dim | 87040403010 | 4000 K | klar | 42,9 W | 7105 lm |
| HalLED 40-1425 AS | 87040503003 | 5000 K | satiniert | 42,5 W | 6446 lm |
| HalLED 40-1425 AS dim | 87040503004 | 5000 K | satiniert | 42,9 W | 6446 lm |
| HalLED 40-1425 AS | 87040503009 | 5000 K | klar | 42,5 W | 7105 lm |
| HalLED 40-1425 AS dim | 87040503010 | 5000 K | klar | 42,9 W | 7105 lm |

| |
|---------------|
| 865x39x64 mm |
| 865x39x64 mm |
| 865x39x64 mm |
| 865x39x64 mm |
| 865x39x64 mm |
| 1425x39x64 mm |
| 1425x39x64 mm |
| 1425x39x64 mm |
| 1425x39x64 mm |
| 1425x39x64 mm |
| 1425x39x64 mm |
| 1425x39x64 mm |
| 1425x39x64 mm |
| 1425x39x64 mm |
| 1425x39x64 mm |
| 1425x39x64 mm |
| 1425x39x64 mm |
| 1145x39x64 mm |
| 1145x39x64 mm |
| 1145x39x64 mm |
| 1145x39x64 mm |
| 1145x39x64 mm |
| 1145x39x64 mm |
| 1145x39x64 mm |
| 1145x39x64 mm |
| 1145x39x64 mm |
| 1145x39x64 mm |
| 1145x39x64 mm |
| 1145x39x64 mm |
| 1145x39x64 mm |
| 1145x39x64 mm |
| 1145x39x64 mm |
| 1145x39x64 mm |
| 1425x39x64 mm |
| 1425x39x64 mm |
| 1425x39x64 mm |
| 1425x39x64 mm |
| 1425x39x64 mm |
| 1425x39x64 mm |
| 1425x39x64 mm |
| 1425x39x64 mm |
| 1425x39x64 mm |
| 1425x39x64 mm |
| 1425x39x64 mm |
| 1425x39x64 mm |
| 1425x39x64 mm |
| 1425x39x64 mm |
| 1425x39x64 mm |
| 1425x39x64 mm |
| 1425x39x64 mm |
| Abmessungen |
| 865x39x64 mm |
| 865x39x64 mm |
| 865x39x64 mm |
| 865x39x64 mm |
| 865x39x64 mm |

